

Rheintal

INTERNET EXCHANGE



Rheintal Internet Exchange Update @SwiNOG #38

Thomas Fritz

thomas.fritz@rheintal-ix.net

21.6.2023

- Founded in 2011

The Rheintal IX

- Founded in 2011
- Legal form is an Incorporated Association based in LI

The Rheintal IX

- Founded in 2011
- Legal form is an Incorporated Association based in LI
- Not for profit but for the joy of it

The Rheintal IX

- Founded in 2011
- Legal form is an Incorporated Association based in LI
- Not for profit but for the joy of it
- Hardware, links and rackspace donated by sponsors

The Rheintal IX

- Founded in 2011
- Legal form is an Incorporated Association based in LI
- Not for profit but for the joy of it
- Hardware, links and rackspace donated by sponsors
- Small recurring charges for 10G ports to keep it going


The Rheintal IX

- Founded in 2011
- Legal form is an Incorporated Association based in LI
- Not for profit but for the joy of it
- Hardware, links and rackspace donated by sponsors
- Small recurring charges for 10G ports to keep it going
- Peers are encouraged to become members

The Rheintal IX

- Founded in 2011
- Legal form is an Incorporated Association based in LI
- Not for profit but for the joy of it
- Hardware, links and rackspace donated by sponsors
- Small recurring charges for 10G ports to keep it going
- Peers are encouraged to become members
- Dedicated technicians running the network and services

Rheinthal-IX sites



Site Feldkirch (AT)
in the DC Feldkirch

- 6 regional ISPs
- 3 companies
- own server infrastructure
- K-root anycast node
(operated by RIPE NCC)
- DNS TLD anycast node
(operated by RcodeZero)

Site Feldkirch (AT) in the DC Feldkirch

- 6 regional ISPs
- 3 companies
- own server infrastructure
- K-root anycast node
(operated by RIPE NCC)
- DNS TLD anycast node
(operated by RcodeZero)

Site Eschen (LI) in Telefonzentrale Eschen

- 8 regional/national ISPs
- 1 company
- own server infrastructure

Site Gais AR (CH)
in the RZ Ostschweiz

- 2 national ISPs
- 4 companies
- AS112 node
(operated by Pim)
- Quad9 node
- {D,E}-root nodes
(operated by PCH)
- SwissIX Outreach link

Site Gais AR (CH) in the RZ Ostschweiz

- 2 national ISPs
- 4 companies
- AS112 node
(operated by Pim)
- Quad9 node
- {D,E}-root nodes
(operated by PCH)
- SwissIX Outreach link


Site Frauenfeld TG (CH) in the DCTG

- 1 national ISP
- 0 companies

Site Konstanz (DE)
in the DC Stadtwerk Konstanz

- 2 regional ISPs
- 1 academic network
- own server infrastructure (planned)

Missing link



- Started with the project "around the lake" in 2021


- Started with the project "around the lake" in 2021
- The plan is to have a 10G ring

- Started with the project "around the lake" in 2021
- The plan is to have a 10G ring
- It took a lot of time to get the links in Vorarlberg (AT) sponsored


- Started with the project "around the lake" in 2021
- The plan is to have a 10G ring
- It took a lot of time to get the links in Vorarlberg (AT) sponsored
- New sites in Bregenz (AT) and Friedrichshafen (DE) are on the roadmap for this summer

- Started with the project "around the lake" in 2021
- The plan is to have a 10G ring
- It took a lot of time to get the links in Vorarlberg (AT) sponsored
- New sites in Bregenz (AT) and Friedrichshafen (DE) are on the roadmap for this summer
- Still a missing link in Lindau

Missing link




SwissIX outreach




- SwissIX Outreach Router peers with SwissIX RS and with our RS

SwissIX outreach



- SwissIX Outreach Router peers with SwissIX RS and with our RS
- Mainly used by smaller regional ISPs

SwissIX outreach



- SwissIX Outreach Router peers with SwissIX RS and with our RS
- Mainly used by smaller regional ISPs
- We expect traffic to increase when German ISPs come along

- We recently switched to Brocade MLXe switches on three sites

- We recently switched to Brocade MLXe switches on three sites
- The remaining pops will follow shortly


- We recently switched to Brocade MLXe switches on three sites
- The remaining pops will follow shortly
- IPv4/MPLS/RSVP underlay with VPLS on top


- We recently switched to Brocade MLXe switches on three sites
- The remaining pops will follow shortly
- IPv4/MPLS/RSVP underlay with VPLS on top
- At least 20 x 10G and 20 x 1G interfaces available on each site

- We recently switched to Brocade MLXe switches on three sites
- The remaining pops will follow shortly
- IPv4/MPLS/RSVP underlay with VPLS on top
- At least 20 x 10G and 20 x 1G interfaces available on each site
- Orchestrated provisioning of peer interfaces using IXPManger, Ansible and gitlab

- We recently switched to Brocade MLXe switches on three sites
- The remaining pops will follow shortly
- IPv4/MPLS/RSVP underlay with VPLS on top
- At least 20 x 10G and 20 x 1G interfaces available on each site
- Orchestrated provisioning of peer interfaces using IXPManger, Ansible and gitlab
- Already planning for higher bandwidth in the core

Stats from last year





- Packet loss on link between Feldkirch and Eschen

- Packet loss on link between Feldkirch and Eschen
 - reason was a dirty fibre cable end

Technical incidents

- Packet loss on link between Feldkirch and Eschen
 - reason was a dirty fibre cable end
- A random reboot of a Catalyst 6503-E in Konstanz

Technical incidents

- Packet loss on link between Feldkirch and Eschen
 - reason was a dirty fibre cable end
- A random reboot of a Catalyst 6503-E in Konstanz
 - reason unknown

Technical incidents

- Packet loss on link between Feldkirch and Eschen
 - reason was a dirty fibre cable end
- A random reboot of a Catalyst 6503-E in Konstanz
 - reason unknown
- RS prefix count above announced limit

Technical incidents

- Packet loss on link between Feldkirch and Eschen
 - reason was a dirty fibre cable end
- A random reboot of a Catalyst 6503-E in Konstanz
 - reason unknown
- RS prefix count above announced limit
 - reason was SwissIX RS announced way more prefixes
 - communication problem

Technical incidents

- Packet loss on link between Feldkirch and Eschen
 - reason was a dirty fibre cable end
- A random reboot of a Catalyst 6503-E in Konstanz
 - reason unknown
- RS prefix count above announced limit
 - reason was SwissIX RS announced way more prefixes
 - communication problem
- BFD session flapping on one MLXe

Technical incidents

- Packet loss on link between Feldkirch and Eschen
 - reason was a dirty fibre cable end
- A random reboot of a Catalyst 6503-E in Konstanz
 - reason unknown
- RS prefix count above announced limit
 - reason was SwissIX RS announced way more prefixes
 - communication problem
- BFD session flapping on one MLXe
 - reason was a broken SFP+ flushing the NP on the module with a few millions packets/s

- IXPMangers REST API provides states of the peering interfaces with several attributes

- IXPMangers REST API provides states of the peering interfaces with several attributes
- Ansible playbook collects that data for a switch and creates the intended config of each interface in "connected" state

- IXPManagers REST API provides states of the peering interfaces with several attributes
- Ansible playbook collects that data for a switch and creates the intended config of each interface in "connected" state
- Manual gitlab pipeline, which requires a dry run first, to control the configuration changes on the switch

- IXPMangers REST API provides states of the peering interfaces with several attributes
- Ansible playbook collects that data for a switch and creates the intended config of each interface in "connected" state
- Manual gitlab pipeline, which requires a dry run first, to control the configuration changes on the switch
- If that proves to be correct all the time, we consider to fully automate it

Orchestration challenges

- Ansible provides modules for many different network devices, but every module behaves more or less different

Orchestration challenges

- Ansible provides modules for many different network devices, but every module behaves more or less different
- Most of these modules are ssh'ing to the device, and send CLI commands there

Orchestration challenges

- Ansible provides modules for many different network devices, but every module behaves more or less different
- Most of these modules are ssh'ing to the device, and send CLI commands there
- The more sophisticated the CLI parser of the device is, the luckier you are

Orchestration challenges

- Ansible provides modules for many different network devices, but every module behaves more or less different
- Most of these modules are ssh'ing to the device, and send CLI commands there
- The more sophisticated the CLI parser of the device is, the luckier you are
 - IOS-XR is pretty good

Orchestration challenges

- Ansible provides modules for many different network devices, but every module behaves more or less different
- Most of these modules are ssh'ing to the device, and send CLI commands there
- The more sophisticated the CLI parser of the device is, the luckier you are
 - IOS-XR is pretty good
 - IOS-XE works well, too, when you know the gotchas

Orchestration challenges

- Ansible provides modules for many different network devices, but every module behaves more or less different
- Most of these modules are ssh'ing to the device, and send CLI commands there
- The more sophisticated the CLI parser of the device is, the luckier you are
 - IOS-XR is pretty good
 - IOS-XE works well, too, when you know the gotchas
 - Ironware is ...weird...

Any questions?

